

The perfect combination of
form and function

Berker Switches

Overview
Frames and finishes



B.
Berker

Stamp
area

Your reliable partner for intelligent solutions.

Since it was founded in 1919, Berker has been continually developing. Today, the long-established brand belongs to Hager Group. It combines values that have evolved over the years with today's high standards in design and technology. This ensures regular accolades from international juries and means that Berker continues to set new standards in terms of functionality, usability and quality.

Stamp
area

Stamp
area

Berker S.1



Polar white matt
Plastic, polar white matt

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.5 x H 80.5 mm, 2-gang

W 223 x H 80.5 mm, 3-gang

W 294 x H 80.5 mm, 4-gang

W 365 x H 80.5 mm, 5-gang



Frame finishes/ covers/central inserts

Plastic, matt

polar white similar to RAL 9010

anthracite similar to RAL 7021

aluminium similar to RAL 9006

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

red similar to RAL 3003

Socket outlet insert colour in matt and glossy

red similar RAL 3003

green similar RAL 6029

orange similar RAL 2003

Central plates

Plastic, matt, lacquered

polar white similar to RAL 9010

anthracite similar to RAL 7021

aluminium similar to RAL 9006

Plastic, glossy


white similar to RAL 1013

polar white similar to RAL 9010

Stamp
area

Stamp
area

Berker S.1



White glossy
Plastic, white glossy

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.5 x H 80.5 mm, 2-gang

W 223 x H 80.5 mm, 3-gang

W 294 x H 80.5 mm, 4-gang

W 365 x H 80.5 mm, 5-gang



Frame finishes/ covers/central inserts

Plastic, matt

polar white similar to RAL 9010

anthracite similar to RAL 7021

aluminium similar to RAL 9006

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

red similar to RAL 3003

Central plates

Plastic, matt, lacquered

polar white similar to RAL 9010

anthracite similar to RAL 7021

aluminium similar to RAL 9006

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

Socket outlet insert colour in matt and glossy

red similar RAL 3003


green similar RAL 6029

orange similar RAL 2003

Stamp
area

Stamp
area

Berker S.1



Polar white glossy
Plastic, polar white glossy

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.5 x H 80.5 mm, 2-gang

W 223 x H 80.5 mm, 3-gang

W 294 x H 80.5 mm, 4-gang

W 365 x H 80.5 mm, 5-gang



Frame finishes/ covers/central inserts

Plastic, matt

polar white similar to RAL 9010

anthracite similar to RAL 7021

aluminium similar to RAL 9006

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

red similar to RAL 3003

Central plates

Plastic, matt, lacquered

polar white similar to RAL 9010

anthracite similar to RAL 7021

aluminium similar to RAL 9006

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

Socket outlet insert colour in matt and glossy

red similar RAL 3003

green similar RAL 6029

orange similar RAL 2003

Stamp
area

Stamp
area

Berker S.1



Anthracite
Plastic, anthracite

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.5 x H 80.5 mm, 2-gang

W 223 x H 80.5 mm, 3-gang

W 294 x H 80.5 mm, 4-gang

W 365 x H 80.5 mm, 5-gang



Frame finishes/ covers/central inserts

Plastic, matt

polar white similar to RAL 9010

anthracite similar to RAL 7021

aluminium similar to RAL 9006

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

red similar to RAL 3003

Central plates

Plastic, matt, lacquered

polar white similar to RAL 9010

anthracite similar to RAL 7021

aluminium similar to RAL 9006

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

Socket outlet insert colour in matt and glossy

red similar RAL 3003

green similar RAL 6029

orange similar RAL 2003

Stamp
area

Stamp
area

Berker S.1



Aluminium
Plastic, aluminium

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.5 x H 80.5 mm, 2-gang

W 223 x H 80.5 mm, 3-gang

W 294 x H 80.5 mm, 4-gang

W 365 x H 80.5 mm, 5-gang



Frame finishes/ covers/central inserts

Plastic, matt

polar white similar to RAL 9010

anthracite similar to RAL 7021

aluminium similar to RAL 9006

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

red similar to RAL 3003

Socket outlet insert colour in matt and glossy

red similar RAL 3003

green similar RAL 6029

orange similar RAL 2003

Central plates

Plastic, matt, lacquered

polar white similar to RAL 9010

anthracite similar to RAL 7021

aluminium similar to RAL 9006

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

Stamp
area

Stamp
area

Berker B.3



Anthracite
Aluminium

Material, colours and dimensions

Dimensions

1-gang frame

W 90.7 x H 81.1 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 152.1 x H 90.7 mm, 2-gang

W 223.1 x H 90.7 mm, 3-gang

W 294.1 x H 90.7 mm, 4-gang

W 365.1 x H 90.7 mm, 5-gang



Frame finishes

Aluminium
black
brown
red
gold

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Covers/ central inserts

Plastic, matt
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

Central plates

**Plastic, matt,
lacquered**
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

**Plastic,
glossy**
polar white
similar to RAL 9010

Stamp
area

Stamp
area

Berker B.3



Polar white
Aluminium

Material, colours and dimensions

Dimensions

1-gang frame

W 90.7 x H 81.1 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 152.1 x H 90.7 mm, 2-gang

W 223.1 x H 90.7 mm, 3-gang

W 294.1 x H 90.7 mm, 4-gang

W 365.1 x H 90.7 mm, 5-gang



Frame finishes

Aluminium
black
brown
red
gold

Covers/ central inserts

Plastic, matt
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

Central plates

**Plastic, matt,
lacquered**
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

**Plastic,
glossy**
polar white
similar to RAL 9010

Stamp
area

Stamp
area

Berker B.3



Anthracite
Aluminium, black

Material, colours and dimensions

Dimensions

1-gang frame

W 90.7 x H 81.1 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 152.1 x H 90.7 mm, 2-gang

W 223.1 x H 90.7 mm, 3-gang

W 294.1 x H 90.7 mm, 4-gang

W 365.1 x H 90.7 mm, 5-gang



Frame finishes

Aluminium
black
brown
red
gold

Covers/ central inserts

Plastic, matt
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

Central plates

**Plastic, matt,
lacquered**
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

**Plastic,
glossy**
polar white
similar to RAL 9010

Stamp
area

Stamp
area

Berker B.3



Polar white
Aluminium, brown

Material, colours and dimensions

Dimensions

1-gang frame

W 90.7 x H 81.1 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 152.1 x H 90.7 mm, 2-gang

W 223.1 x H 90.7 mm, 3-gang

W 294.1 x H 90.7 mm, 4-gang

W 365.1 x H 90.7 mm, 5-gang



Frame finishes

Aluminium
black
brown
red
gold

Covers/ central inserts

Plastic, matt
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

Central plates

**Plastic, matt,
lacquered**
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

**Plastic,
glossy**
polar white
similar to RAL 9010

Stamp
area

Stamp
area

Berker B.3



Polar white
Aluminium, red

Material, colours and dimensions

Dimensions

1-gang frame

W 90.7 x H 81.1 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 152.1 x H 90.7 mm, 2-gang

W 223.1 x H 90.7 mm, 3-gang

W 294.1 x H 90.7 mm, 4-gang

W 365.1 x H 90.7 mm, 5-gang



Frame finishes

Aluminium
black
brown
red
gold

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Covers/ central inserts

Plastic, matt
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

Central plates

**Plastic, matt,
lacquered**
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

**Plastic,
glossy**
polar white
similar to RAL 9010

Stamp
area

Stamp
area

Berker B.3



Polar white
Aluminium, gold

Material, colours and dimensions

Dimensions

1-gang frame

W 90.7 x H 81.1 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 152.1 x H 90.7 mm, 2-gang

W 223.1 x H 90.7 mm, 3-gang

W 294.1 x H 90.7 mm, 4-gang

W 365.1 x H 90.7 mm, 5-gang



Frame finishes

Aluminium
black
brown
red
gold

Covers/ central inserts

Plastic, matt
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

Central plates

**Plastic, matt,
lacquered**
anthracite
similar to RAL 7021
polar white
similar to RAL 9010

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

**Plastic,
glossy**
polar white
similar to RAL 9010

Stamp
area

Stamp
area

Berker B.7



Polar white
Glass, polar white

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

1-gang frame

W 95 x H 90 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 161 x H 95 mm, 2-gang

W 232 x H 95 mm, 3-gang

W 303 x H 95 mm, 4-gang

W 374 x H 95 mm, 5-gang



Frame finishes

Glass, glossy, print on the back

polar white
similar to RAL 9010

black
similar to RAL 9005
aluminium
similar to RAL 9006

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 9005
aluminium, lacquered
similar to RAL 9006

Metal
Aluminium
Stainless steel

Covers/ central inserts

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 7021
aluminium, lacquered
similar to RAL 9006

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Central plates

Plastic, matt

anthracite
similar to RAL 7021
polar white
similar to RAL 9010
aluminium, lacquered
similar to RAL 9006

Plastic, glossy

polar white
similar to RAL 9010

Berker B.7



Anthracite
Glass, black

Material, colours and dimensions

Dimensions

1-gang frame

W 95 x H 90 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 161 x H 95 mm, 2-gang

W 232 x H 95 mm, 3-gang

W 303 x H 95 mm, 4-gang

W 374 x H 95 mm, 5-gang



Frame finishes

Glass, glossy, print on the back

polar white
similar to RAL 9010

black

similar to RAL 9005

aluminium

similar to RAL 9006

Plastic, matt

polar white

similar to RAL 9010

anthracite

similar to RAL 9005

aluminium, lacquered

similar to RAL 9006

Metal

Aluminium

Stainless steel

Covers/ central inserts

Plastic, matt

polar white

similar to RAL 9010

anthracite

similar to RAL 7021

aluminium, lacquered

similar to RAL 9006

Socket outlet insert colour in matt and glossy

red

similar RAL 3003

green

similar RAL 6029

orange

similar RAL 2003

Central plates

Plastic, matt

anthracite

similar to RAL 7021

polar white

similar to RAL 9010

aluminium, lacquered

similar to RAL 9006

Plastic, glossy

polar white

similar to RAL 9010

Stamp
area

Stamp
area

Berker B.7



Aluminium
Glass, aluminium

Material, colours and dimensions

Dimensions

1-gang frame

W 95 x H 90 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 161 x H 95 mm, 2-gang

W 232 x H 95 mm, 3-gang

W 303 x H 95 mm, 4-gang

W 374 x H 95 mm, 5-gang



Frame finishes

Glass, glossy, print on the back

polar white
similar to RAL 9010

black
similar to RAL 9005
aluminium
similar to RAL 9006

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 9005
aluminium, lacquered
similar to RAL 9006

Metal
Aluminium
Stainless steel

Covers/ central inserts

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 7021
aluminium, lacquered
similar to RAL 9006

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Central plates

Plastic, matt

anthracite
similar to RAL 7021
polar white
similar to RAL 9010
aluminium, lacquered
similar to RAL 9006

Plastic, glossy

polar white
similar to RAL 9010

Stamp
area

Stamp
area

Berker B.7



Polar white
Plastic, polar white

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

1-gang frame

W 95 x H 90 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 161 x H 95 mm, 2-gang

W 232 x H 95 mm, 3-gang

W 303 x H 95 mm, 4-gang

W 374 x H 95 mm, 5-gang



Frame finishes

Glass, glossy, print on the back

polar white
similar to RAL 9010

black
similar to RAL 9005
aluminium
similar to RAL 9006

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 9005
aluminium, lacquered
similar to RAL 9006

Metal
Aluminium
Stainless steel

Covers/ central inserts

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 7021
aluminium, lacquered
similar to RAL 9006

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Central plates

Plastic, matt

anthracite
similar to RAL 7021
polar white
similar to RAL 9010
aluminium, lacquered
similar to RAL 9006

**Plastic,
glossy**
polar white
similar to RAL 9010

Berker B.7



Anthracite
Plastic, anthracite

Material, colours and dimensions

Dimensions

1-gang frame

W 95 x H 90 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 161 x H 95 mm, 2-gang

W 232 x H 95 mm, 3-gang

W 303 x H 95 mm, 4-gang

W 374 x H 95 mm, 5-gang



Frame finishes

Glass, glossy, print on the back

polar white
similar to RAL 9010

black
similar to RAL 9005
aluminium
similar to RAL 9006

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 9005
aluminium, lacquered
similar to RAL 9006

Metal
Aluminium
Stainless steel

Covers/ central inserts

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 7021
aluminium, lacquered
similar to RAL 9006

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Central plates

Plastic, matt

anthracite
similar to RAL 7021
polar white
similar to RAL 9010
aluminium, lacquered
similar to RAL 9006

Plastic, glossy

polar white
similar to RAL 9010

Stamp
area

Stamp
area

Berker B.7



Aluminium
Plastic, aluminium

Material, colours and dimensions

Dimensions

1-gang frame

W 95 x H 90 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 161 x H 95 mm, 2-gang

W 232 x H 95 mm, 3-gang

W 303 x H 95 mm, 4-gang

W 374 x H 95 mm, 5-gang



Frame finishes

Glass, glossy, print on the back

polar white
similar to RAL 9010

black
similar to RAL 9005
aluminium
similar to RAL 9006

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 9005
aluminium, lacquered
similar to RAL 9006

Metal
Aluminium
Stainless steel

Covers/ central inserts

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 7021
aluminium, lacquered
similar to RAL 9006

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Central plates

Plastic, matt

anthracite
similar to RAL 7021
polar white
similar to RAL 9010
aluminium, lacquered
similar to RAL 9006

**Plastic,
glossy**
polar white
similar to RAL 9010

Stamp
area

Stamp
area

Berker B.7



Anthracite
Stainless steel

Material, colours and dimensions

Dimensions

1-gang frame

W 95 x H 90 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 161 x H 95 mm, 2-gang

W 232 x H 95 mm, 3-gang

W 303 x H 95 mm, 4-gang

W 374 x H 95 mm, 5-gang



Frame finishes

Glass, glossy, print on the back

polar white
similar to RAL 9010

black
similar to RAL 9005
aluminium
similar to RAL 9006

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 9005
aluminium, lacquered
similar to RAL 9006

Metal
Aluminium
Stainless steel

Covers/ central inserts

Plastic, matt

polar white
similar to RAL 9010
anthracite
similar to RAL 7021
aluminium, lacquered
similar to RAL 9006

Socket outlet insert colour in matt and glossy

red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Central plates

Plastic, matt

anthracite
similar to RAL 7021
polar white
similar to RAL 9010
aluminium, lacquered
similar to RAL 9006

Plastic, glossy

polar white
similar to RAL 9010

Stamp
area

Stamp
area

Berker Q.1

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 mm x H 80.5 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang



Frames

Plastic, velvet effect

polar white similar to RAL 9010

anthracite,

lacquered similar to RAL 7021

red similar to RAL 3003

white similar to RAL 1013

aluminium,

lacquered similar to RAL 9006

Covers/ central inserts

Plastic, velvet effect

polar white similar to RAL 9010

anthracite,

lacquered similar to RAL 7021

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

white similar to RAL 1013

aluminium,

lacquered similar to RAL 9006



Polar white

Plastic, polar white

Stamp
area

Stamp
area

Berker Q.1



Anthracite
Plastic, anthracite

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 mm x H 80.5 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang



Frames

Plastic, velvet effect

polar white similar to RAL 9010

anthracite,

lacquered similar to RAL 7021

red similar to RAL 3003

white similar to RAL 1013

aluminium,

lacquered similar to RAL 9006

Covers/ central inserts

Plastic, velvet effect

polar white similar to RAL 9010

anthracite,

lacquered similar to RAL 7021

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

white similar to RAL 1013

aluminium,

lacquered similar to RAL 9006

Stamp
area

Stamp
area

Berker Q.3



Polar white
Plastic, polar white

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 mm x H 80.5 mm, 1-gang



2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang



Frames

Plastic, velvet effect

polar white similar to RAL 9010

anthracite,

lacquered similar to RAL 7021

red similar to RAL 3003

white similar to RAL 1013

aluminium,

lacquered similar to RAL 9006

Covers/ central inserts

Plastic, velvet effect

polar white similar to RAL 9010

anthracite,

lacquered similar to RAL 7021

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

white similar to RAL 1013

aluminium,

lacquered similar to RAL 9006

Stamp
area

Stamp
area

Berker Q.3



Anthracite
Plastic, anthracite

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 mm x H 80.5 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang



Frames

Plastic, velvet effect

polar white similar to RAL 9010

anthracite,

lacquered similar to RAL 7021

red similar to RAL 3003

white similar to RAL 1013

aluminium,

lacquered similar to RAL 9006

Covers/ central inserts

Plastic, velvet effect

polar white similar to RAL 9010

anthracite,

lacquered similar to RAL 7021

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

white similar to RAL 1013

aluminium,

lacquered similar to RAL 9006

Stamp
area

Stamp
area

Berker Q.7



Polar white
Textured concrete

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Plastic, Aluminium,
Stainless steel, Polar white glass,
Black glass

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang

W 308.2 mm x H 95.2 mm, 4-gang

W 379.2 mm x H 95.2 mm, 5-gang

Material: Slate, Concrete

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang



Frames

Glass, polar white
similar to RAL 9010

Glass, black
similar to RAL 9005

Aluminium, anodised

Stainless steel,
brushed

Slate, natural

Concrete

Plastic, polar white
similar to RAL 9010

Plastic, anthracite
similar to RAL 7021

Plastic, white
similar to RAL 1013

Plastic,
aluminium lacquered
similar to RAL 9006

Covers/ central inserts

**Plastic, velvet
effect**

polar white
similar to RAL 9010

anthracite, lacquered
similar to RAL 7021

red
similar to RAL 3003

green
similar to RAL 6029

orange
similar to RAL 2003

white
similar to RAL 1013

aluminium, lacquered
similar to RAL 9006

Berker Q.7



Aluminium
Aluminium, anodised

Material, colours and dimensions

Dimensions

Material: Plastic, Aluminium,
Stainless steel, Polar white glass,
Black glass

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang

W 308.2 mm x H 95.2 mm, 4-gang

W 379.2 mm x H 95.2 mm, 5-gang

Material: Slate, Concrete

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang



Frames

Glass, polar white
similar to RAL 9010

Glass, black
similar to RAL 9005

Aluminium, anodised

Stainless steel,
brushed

Slate, natural

Concrete

Plastic, polar white
similar to RAL 9010

Plastic, anthracite
similar to RAL 7021

Plastic, white
similar to RAL 1013

Plastic,
aluminium lacquered
similar to RAL 9006

Covers/ central inserts

**Plastic, velvet
effect**

polar white
similar to RAL 9010

anthracite, lacquered
similar to RAL 7021

red
similar to RAL 3003

green
similar to RAL 6029

orange
similar to RAL 2003

white
similar to RAL 1013

aluminium, lacquered
similar to RAL 9006

Stamp
area

Stamp
area

Berker Q.7



Anthracite
Plastic, anthracite

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Plastic, Aluminium,
Stainless steel, Polar white glass,
Black glass

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang

W 308.2 mm x H 95.2 mm, 4-gang

W 379.2 mm x H 95.2 mm, 5-gang

Material: Slate, Concrete

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang



Frames

Glass, polar white
similar to RAL 9010

Glass, black
similar to RAL 9005

Aluminium, anodised

Stainless steel,
brushed

Slate, natural

Concrete

Plastic, polar white
similar to RAL 9010

Plastic, anthracite
similar to RAL 7021

Plastic, white
similar to RAL 1013

Plastic,
aluminium lacquered
similar to RAL 9006

Covers/ central inserts

**Plastic, velvet
effect**

polar white
similar to RAL 9010

anthracite, lacquered
similar to RAL 7021

red
similar to RAL 3003

green
similar to RAL 6029

orange
similar to RAL 2003

white
similar to RAL 1013

aluminium, lacquered
similar to RAL 9006

Berker Q.7



Polar white
Plastic, polar white

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Plastic, Aluminium,
Stainless steel, Polar white glass,
Black glass

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang

W 308.2 mm x H 95.2 mm, 4-gang

W 379.2 mm x H 95.2 mm, 5-gang

Material: Slate, Concrete

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang



Frames

Glass, polar white
similar to RAL 9010

Glass, black
similar to RAL 9005

Aluminium, anodised

Stainless steel,
brushed

Slate, natural

Concrete

Plastic, polar white
similar to RAL 9010

Plastic, anthracite
similar to RAL 7021

Plastic, white
similar to RAL 1013

Plastic,
aluminium lacquered
similar to RAL 9006

Covers/ central inserts

**Plastic, velvet
effect**

polar white
similar to RAL 9010
anthracite, lacquered
similar to RAL 7021
red
similar to RAL 3003
green
similar to RAL 6029
orange
similar to RAL 2003
white
similar to RAL 1013
aluminium, lacquered
similar to RAL 9006

Berker Q.7



Polar white
Glass, polar white

Material, colours and dimensions

Dimensions

Material: Plastic, Aluminium,
Stainless steel, Polar white glass,
Black glass

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang

W 308.2 mm x H 95.2 mm, 4-gang

W 379.2 mm x H 95.2 mm, 5-gang

Material: Slate, Concrete

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang



Frames

Glass, polar white
similar to RAL 9010

Glass, black
similar to RAL 9005

Aluminium, anodised

Stainless steel,
brushed

Slate, natural

Concrete

Plastic, polar white
similar to RAL 9010

Plastic, anthracite
similar to RAL 7021

Plastic, white
similar to RAL 1013

Plastic,
aluminium lacquered
similar to RAL 9006

Covers/ central inserts

**Plastic, velvet
effect**

polar white
similar to RAL 9010
anthracite, lacquered
similar to RAL 7021
red
similar to RAL 3003
green
similar to RAL 6029
orange
similar to RAL 2003
white
similar to RAL 1013
aluminium, lacquered
similar to RAL 9006

Stamp
area

Stamp
area

Berker Q.7



Anthracite
Glass, black

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Plastic, Aluminium,
Stainless steel, Polar white glass,
Black glass

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang

W 308.2 mm x H 95.2 mm, 4-gang

W 379.2 mm x H 95.2 mm, 5-gang

Material: Slate, Concrete

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang



Frames

Glass, polar white
similar to RAL 9010

Glass, black
similar to RAL 9005

Aluminium, anodised

Stainless steel,
brushed

Slate, natural

Concrete

Plastic, polar white
similar to RAL 9010

Plastic, anthracite
similar to RAL 7021

Plastic, white
similar to RAL 1013

Plastic,
aluminium lacquered
similar to RAL 9006

Covers/ central inserts

**Plastic, velvet
effect**

polar white
similar to RAL 9010

anthracite, lacquered
similar to RAL 7021

red
similar to RAL 3003

green
similar to RAL 6029

orange
similar to RAL 2003

white
similar to RAL 1013

aluminium, lacquered
similar to RAL 9006

Berker Q.7



Polar white
Aluminium, anodised

Material, colours and dimensions

Dimensions

Material: Plastic, Aluminium,
Stainless steel, Polar white glass,
Black glass

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang

W 308.2 mm x H 95.2 mm, 4-gang

W 379.2 mm x H 95.2 mm, 5-gang

Material: Slate, Concrete

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang



Frames

Glass, polar white
similar to RAL 9010

Glass, black
similar to RAL 9005

Aluminium, anodised

Stainless steel,
brushed

Slate, natural

Concrete

Plastic, polar white
similar to RAL 9010

Plastic, anthracite
similar to RAL 7021

Plastic, white
similar to RAL 1013

Plastic,
aluminium lacquered
similar to RAL 9006

Covers/ central inserts

**Plastic, velvet
effect**

polar white
similar to RAL 9010

anthracite, lacquered
similar to RAL 7021

red
similar to RAL 3003

green
similar to RAL 6029

orange
similar to RAL 2003

white
similar to RAL 1013

aluminium, lacquered
similar to RAL 9006

Stamp
area

Stamp
area

Berker Q.7



Anthracite
Slate, natural

Material, colours and dimensions

Dimensions

Material: Plastic, Aluminium,
Stainless steel, Polar white glass,
Black glass

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang

W 308.2 mm x H 95.2 mm, 4-gang

W 379.2 mm x H 95.2 mm, 5-gang

Material: Slate, Concrete

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang



Frames

Glass, polar white
similar to RAL 9010

Glass, black
similar to RAL 9005

Aluminium, anodised

Stainless steel,
brushed

Slate, natural

Concrete

Plastic, polar white
similar to RAL 9010

Plastic, anthracite
similar to RAL 7021

Plastic, white
similar to RAL 1013

Plastic,
aluminium lacquered
similar to RAL 9006

Covers/ central inserts

**Plastic, velvet
effect**

polar white
similar to RAL 9010

anthracite, lacquered
similar to RAL 7021

red
similar to RAL 3003

green
similar to RAL 6029

orange
similar to RAL 2003

white
similar to RAL 1013

aluminium, lacquered
similar to RAL 9006

Stamp
area

Stamp
area

Berker Q.7



Anthracite
Stainless steel, brushed

Material, colours and dimensions

Dimensions

Material: Plastic, Aluminium,
Stainless steel, Polar white glass,
Black glass

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang

W 308.2 mm x H 95.2 mm, 4-gang

W 379.2 mm x H 95.2 mm, 5-gang

Material: Slate, Concrete

1-gang frame

W 95.2 mm x H 95.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 166.2 mm x H 95.2 mm, 2-gang

W 237.2 mm x H 95.2 mm, 3-gang



Frames

Glass, polar white
similar to RAL 9010

Glass, black
similar to RAL 9005

Aluminium, anodised

Stainless steel,
brushed

Slate, natural

Concrete

Plastic, polar white
similar to RAL 9010

Plastic, anthracite
similar to RAL 7021

Plastic, white
similar to RAL 1013

Plastic,
aluminium lacquered
similar to RAL 9006

Covers/ central inserts

**Plastic, velvet
effect**

polar white
similar to RAL 9010

anthracite, lacquered
similar to RAL 7021

red
similar to RAL 3003

green
similar to RAL 6029

orange
similar to RAL 2003


white
similar to RAL 1013

aluminium, lacquered
similar to RAL 9006

Stamp
area

Stamp
area

Berker K.1



Material, colours and dimensions

Dimensions

1-gang frame

W 87 x H 80.5 mm, 1-gang




2-gang to 5-gang frame, horizontal

W 158 x H 80.5 mm, 2-gang

W 229 x H 80.5 mm, 3-gang

W 300 x H 80.5 mm, 4-gang

W 371 x H 80.5 mm, 5-gang



2-gang to 5-gang frame, vertical

H 151.5 x W 87 mm, 2-gang

H 222.5 x W 87 mm, 3-gang

H 293.5 x W 87 mm, 4-gang

H 364.5 x W 87 mm, 5-gang

Frames/covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

Plastic, matt, lacquered

anthracite similar to RAL 7021

Polar white

Plastic, polar white

Stamp
area

Stamp
area

Berker K.1



Anthracite
Plastic, anthracite

Material, colours and dimensions

Dimensions

1-gang frame

W 87 x H 80.5 mm, 1-gang



2-gang to 5-gang frame, horizontal

W 158 x H 80.5 mm, 2-gang

W 229 x H 80.5 mm, 3-gang

W 300 x H 80.5 mm, 4-gang

W 371 x H 80.5 mm, 5-gang



2-gang to 5-gang frame, vertical

H 151.5 x W 87 mm, 2-gang

H 222.5 x W 87 mm, 3-gang

H 293.5 x W 87 mm, 4-gang

H 364.5 x W 87 mm, 5-gang

Frames/covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003


Plastic, matt, lacquered

anthracite similar to RAL 7021

Stamp
area

Stamp
area

Berker K.5



Material, colours and dimensions

Dimensions

1-gang frame

W 87 x H 80.5 mm, 1-gang




2-gang to 5-gang frame, horizontal

W 158 x H 80.5 mm, 2-gang

W 229 x H 80.5 mm, 3-gang

W 300 x H 80.5 mm, 4-gang

W 371 x H 80.5 mm, 5-gang



2-gang to 5-gang frame, vertical

H 151.5 x W 87 mm, 2-gang

H 222.5 x W 87 mm, 3-gang

H 293.5 x W 87 mm, 4-gang

H 364.5 x W 87 mm, 5-gang

Frames/covers/ central inserts

Metal, anodised

Aluminium (as per E6EV1)

Metal, matt

Stainless steel

Some products which cannot be coated for technical reasons are lacquered.

Aluminium
Aluminium

Stamp
area

Stamp
area

Berker K.5



Stainless steel
Metal, matt

Material, colours and dimensions

Dimensions

1-gang frame

W 87 x H 80.5 mm, 1-gang



2-gang to 5-gang frame, horizontal

W 158 x H 80.5 mm, 2-gang

W 229 x H 80.5 mm, 3-gang

W 300 x H 80.5 mm, 4-gang

W 371 x H 80.5 mm, 5-gang



2-gang to 5-gang frame, vertical

H 151.5 x W 87 mm, 2-gang

H 222.5 x W 87 mm, 3-gang

H 293.5 x W 87 mm, 4-gang

H 364.5 x W 87 mm, 5-gang

Frames/covers/ central inserts

Metal, anodised

Aluminium (as per E6EV1)

Metal, matt

Stainless steel

Some products which cannot be coated for technical reasons are lacquered.

Stamp
area

Stamp
area

Berker Arsys



Polar white
Plastic, polar white

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang

2-gang to 5-gang frame, horizontal

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang

2-gang to 5-gang frame, vertical

H 151.5 x W 80.5 mm, 2-gang

H 222.5 x W 80.5 mm, 3-gang

H 293.5 x W 80.5 mm, 4-gang

H 364.5 x W 80.5 mm, 5-gang



Frames/covers/ central inserts

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

brown similar to RAL 8011

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

Metal, matt

Aluminium, light bronze, lacquered

Aluminium, gold, anodised

Stainless steel

Copper, metal alloy

Some products which cannot be coated for technical reasons are lacquered.

Stamp
area

Stamp
area

Berker Arsys



White
Plastic, white

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang

2-gang to 5-gang frame, horizontal

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang

2-gang to 5-gang frame, vertical

H 151.5 x W 80.5 mm, 2-gang

H 222.5 x W 80.5 mm, 3-gang

H 293.5 x W 80.5 mm, 4-gang

H 364.5 x W 80.5 mm, 5-gang



Frames/covers/ central inserts

Plastic, glossy

white	similar to RAL 1013
polar white	similar to RAL 9010
brown	similar to RAL 8011
red	similar to RAL 3003
green	similar to RAL 6029
orange	similar to RAL 2003

Metal, matt

Aluminium, light bronze, lacquered
Aluminium, gold, anodised
Stainless steel

Copper, metal alloy

Some products which cannot be coated for technical reasons are lacquered.

Stamp
area

Stamp
area

Berker Arsys



Brown
Plastic, brown

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang

2-gang to 5-gang frame, horizontal

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang

2-gang to 5-gang frame, vertical

H 151.5 x W 80.5 mm, 2-gang

H 222.5 x W 80.5 mm, 3-gang

H 293.5 x W 80.5 mm, 4-gang

H 364.5 x W 80.5 mm, 5-gang



Frames/covers/ central inserts

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

brown similar to RAL 8011

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

Metal, matt

Aluminium, light bronze, lacquered

Aluminium, gold, anodised

Stainless steel

Copper, metal alloy

Some products which cannot be coated for technical reasons are lacquered.

Stamp
area

Stamp
area

Berker Arsys



Stainless steel
Metal, matt

Material, colours and dimensions

Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang



2-gang to 5-gang frame, horizontal

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang



2-gang to 5-gang frame, vertical

H 151.5 x W 80.5 mm, 2-gang

H 222.5 x W 80.5 mm, 3-gang

H 293.5 x W 80.5 mm, 4-gang

H 364.5 x W 80.5 mm, 5-gang

Frames/covers/ central inserts

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

brown similar to RAL 8011

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

Metal, matt

Aluminium, light bronze, lacquered

Aluminium, gold, anodised

Stainless steel

Copper, metal alloy

Some products which cannot be coated for technical reasons are lacquered.

Stamp
area

Stamp
area

Berker Arsys

Material, colours and dimensions



Light bronze

Aluminium, light bronze, lacquered

Stamp
area

Stamp
area

Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang

2-gang to 5-gang frame, horizontal

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang

2-gang to 5-gang frame, vertical

H 151.5 x W 80.5 mm, 2-gang

H 222.5 x W 80.5 mm, 3-gang

H 293.5 x W 80.5 mm, 4-gang

H 364.5 x W 80.5 mm, 5-gang



Frames/covers/ central inserts

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

brown similar to RAL 8011

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

Metal, matt

Aluminium, light bronze, lacquered

Aluminium, gold, anodised

Stainless steel

Copper, metal alloy

Some products which cannot be coated for technical reasons are lacquered.

Berker Arsys

Material, colours and dimensions



Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang

2-gang to 5-gang frame, horizontal

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang


2-gang to 5-gang frame, vertical

H 151.5 x W 80.5 mm, 2-gang

H 222.5 x W 80.5 mm, 3-gang

H 293.5 x W 80.5 mm, 4-gang

H 364.5 x W 80.5 mm, 5-gang



Frames/covers/ central inserts

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

brown similar to RAL 8011

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

Metal, matt

Aluminium, light bronze, lacquered

Aluminium, gold, anodised

Stainless steel

Copper, metal alloy

Some products which cannot be coated for technical reasons are lacquered.

Gold

Aluminium, gold, anodised

Stamp
area

Stamp
area

Berker Arsys

Material, colours and dimensions



Dimensions

1-gang frame

W 80.5 x H 80.5 mm, 1-gang

2-gang to 5-gang frame, horizontal

W 151.5 x H 80.5 mm, 2-gang

W 222.5 x H 80.5 mm, 3-gang

W 293.5 x H 80.5 mm, 4-gang

W 364.5 x H 80.5 mm, 5-gang

2-gang to 5-gang frame, vertical

H 151.5 x W 80.5 mm, 2-gang

H 222.5 x W 80.5 mm, 3-gang

H 293.5 x W 80.5 mm, 4-gang

H 364.5 x W 80.5 mm, 5-gang



Frames/covers/ central inserts

Plastic, glossy

white similar to RAL 1013

polar white similar to RAL 9010

brown similar to RAL 8011

red similar to RAL 3003

green similar to RAL 6029

orange similar to RAL 2003

Metal, matt

Aluminium, light bronze, lacquered

Aluminium, gold, anodised

Stainless steel

Copper, metal alloy

Some products which cannot be coated for technical reasons are lacquered.

Copper

Metal alloy, copper

Stamp
area

Stamp
area

Berker R.1



Polar white
Plastic, polar white

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Stamp
area

Stamp
area

Berker R.1



Black
Plastic, black

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Stamp
area

Stamp
area

Berker R.1



Polar white
Glass, polar white

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Stamp
area

Stamp
area

Berker R.1



Black
Glass, black

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Stamp
area

Stamp
area

Berker R.1



Black
Aluminium, natural, anodised

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Stamp
area

Stamp
area

Berker R.1



Black
Stainless steel, matt

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Stamp
area

Stamp
area

Berker R.1



Black
Natural slate, anthracite

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Stamp
area

Stamp
area

Berker R.1



Polar white
Polished concrete, grey

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Stamp
area

Stamp
area

Berker R.1



Black
Oak, stained wood

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Berker R.1



Polar white
Embossed leather, brown

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Berker R.1



Polar white
Transparent acrylic, red

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Berker R.1



Polar white
Transparent acrylic, orange

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass, Oak,
Leather, Acrylic
1-gang frame
W 81.2 x H 81.2 mm, 1-gang


**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.7 x H 80.7 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.7 x H 80.7 mm, 2-gang
W 222.7 x H 80.7 mm, 3-gang
W 293.7 x H 80.7 mm, 4-gang
W 364.7 x H 80.7 mm, 5-gang

Material: Natural slate,
Polished concrete
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 3-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
Glass
polar white
similar to RAL 9010
black
similar to RAL 9005
Metal
Aluminium, natural,
anodised
Stainless steel, matt
Natural slate,
anthracite
Polished concrete,
grey
Oak, stained wood
Embossed leather,
brown
Transparent acrylic,
red
Transparent acrylic,
orange

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003 *

Berker R.3



Polar white
Plastic, polar white



Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.75 x H 80.75 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.75 x H 80.75 mm, 2-gang
W 222.7 x H 80.75 mm, 3-gang
W 293.7 x H 80.75 mm, 4-gang
W 364.7 x H 80.75 mm, 5-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005


Glass
polar white
similar to RAL 9010
black
similar to RAL 9005

Metal
Aluminium, natural,
anodised
Stainless steel, matt

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Berker R.3



Black
Plastic, black

Material, colours and dimensions


Dimensions

Material: Stainless steel,
Aluminium, Glass
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.75 x H 80.75 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.75 x H 80.75 mm, 2-gang
W 222.7 x H 80.75 mm, 3-gang
W 293.7 x H 80.75 mm, 4-gang
W 364.7 x H 80.75 mm, 5-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005

Glass
polar white
similar to RAL 9010
black
similar to RAL 9005


Metal
Aluminium, natural,
anodised
Stainless steel, matt

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003



Berker R.3



Polar white
Glass, polar white

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass
1-gang frame
W 81.2 x H 81.2 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 152.2 x H 81.2 mm, 2-gang
W 223.2 x H 81.2 mm, 3-gang
W 294.2 x H 81.2 mm, 4-gang
W 365.2 x H 81.2 mm, 5-gang

Material: Plastic
1-gang frame
W 80.75 x H 80.75 mm, 1-gang

**2-gang to 5-gang frame,
for vertical and horizontal
mounting**
W 151.75 x H 80.75 mm, 2-gang
W 222.7 x H 80.75 mm, 3-gang
W 293.7 x H 80.75 mm, 4-gang
W 364.7 x H 80.75 mm, 5-gang



Frames

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005

Glass
polar white
similar to RAL 9010
black
similar to RAL 9005

Metal
Aluminium, natural,
anodised
Stainless steel, matt

Covers/ central inserts

Plastic, glossy
polar white
similar to RAL 9010
black
similar to RAL 9005
red
similar RAL 3003
green
similar RAL 6029
orange
similar RAL 2003

Stamp
area

Stamp
area

Berker R.3



Black
Glass, black

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass

1-gang frame

W 81.2 x H 81.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 152.2 x H 81.2 mm, 2-gang

W 223.2 x H 81.2 mm, 3-gang

W 294.2 x H 81.2 mm, 4-gang

W 365.2 x H 81.2 mm, 5-gang

Material: Plastic

1-gang frame

W 80.75 x H 80.75 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.75 x H 80.75 mm, 2-gang

W 222.7 x H 80.75 mm, 3-gang

W 293.7 x H 80.75 mm, 4-gang

W 364.7 x H 80.75 mm, 5-gang



Frames

Plastic, glossy

polar white

similar to RAL 9010

black

similar to RAL 9005

Glass

polar white

similar to RAL 9010

black

similar to RAL 9005

Metal

Aluminium, natural,

anodised

Stainless steel, matt

Covers/ central inserts

Plastic, glossy

polar white

similar to RAL 9010

black

similar to RAL 9005

red

similar RAL 3003

green

similar RAL 6029

orange

similar RAL 2003

Stamp
area

Stamp
area

Berker R.3



Black
Aluminium, natural, anodised

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass

1-gang frame

W 81.2 x H 81.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 152.2 x H 81.2 mm, 2-gang

W 223.2 x H 81.2 mm, 3-gang

W 294.2 x H 81.2 mm, 4-gang

W 365.2 x H 81.2 mm, 5-gang

Material: Plastic

1-gang frame

W 80.75 x H 80.75 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.75 x H 80.75 mm, 2-gang

W 222.7 x H 80.75 mm, 3-gang

W 293.7 x H 80.75 mm, 4-gang

W 364.7 x H 80.75 mm, 5-gang



Frames

Plastic, glossy

polar white

similar to RAL 9010

black

similar to RAL 9005

Glass

polar white

similar to RAL 9010

black

similar to RAL 9005

Metal

Aluminium, natural,

anodised

Stainless steel, matt

Covers/ central inserts

Plastic, glossy

polar white

similar to RAL 9010

black

similar to RAL 9005

red

similar RAL 3003

green

similar RAL 6029

orange

similar RAL 2003

Stamp
area

Stamp
area

Berker R.3



Black
Stainless steel, matt

Material, colours and dimensions

Dimensions

Material: Stainless steel,
Aluminium, Glass

1-gang frame

W 81.2 x H 81.2 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 152.2 x H 81.2 mm, 2-gang

W 223.2 x H 81.2 mm, 3-gang

W 294.2 x H 81.2 mm, 4-gang

W 365.2 x H 81.2 mm, 5-gang

Material: Plastic

1-gang frame

W 80.75 x H 80.75 mm, 1-gang

2-gang to 5-gang frame, for vertical and horizontal mounting

W 151.75 x H 80.75 mm, 2-gang

W 222.7 x H 80.75 mm, 3-gang

W 293.7 x H 80.75 mm, 4-gang

W 364.7 x H 80.75 mm, 5-gang



Frames

Plastic, glossy

polar white

similar to RAL 9010

black

similar to RAL 9005

Glass

polar white

similar to RAL 9010

black

similar to RAL 9005

Metal

Aluminium, natural,

anodised

Stainless steel, matt

Covers/ central inserts

Plastic, glossy

polar white

similar to RAL 9010

black

similar to RAL 9005

red

similar RAL 3003

green

similar RAL 6029

orange

similar RAL 2003

Stamp
area

Stamp
area

Serie 1930



Polar white
Plastic, polar white

Material, colours and dimensions

Dimensions

1-gang frame

Dia. 80 mm, 1-gang


2-gang to 5-gang frame

W 151 x H 80 mm, 2-gang

W 222 x H 80 mm, 3-gang

W 293 x H 80 mm, 4-gang

W 364 x H 80 mm, 5-gang



Frames

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 8022

Covers/

central inserts

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 8022

Stamp
area

Stamp
area

Serie 1930

Material, colours and dimensions

Dimensions

1-gang frame

Dia. 80 mm, 1-gang


2-gang to 5-gang frame

W 151 x H 80 mm, 2-gang

W 222 x H 80 mm, 3-gang

W 293 x H 80 mm, 4-gang

W 364 x H 80 mm, 5-gang



Frames

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 8022

Covers/

central inserts

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 8022



Black

Plastic, black

Stamp
area

Stamp
area

Serie 1930

Porcelain made by Rosenthal



Material, colours and dimensions

Dimensions

1-gang frame
Dia. 84.5 mm



Frames

Porcelain, glossy

polar white similar to RAL 9010
black similar to RAL 8022

Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010
black similar to RAL 8022

Porcelain, glossy

polar white similar to RAL 9010
black similar to RAL 8022

Black
Porcelain, black

Stamp
area

Stamp
area

Serie 1930

Porcelain made by Rosenthal



Polar white
Porcelain, polar white

Material, colours and dimensions

Dimensions

1-gang frame
Dia. 84.5 mm



Frames

Porcelain, glossy
polar white similar to RAL 9010
black similar to RAL 8022

Covers/ central inserts

Plastic, glossy
polar white similar to RAL 9010
black similar to RAL 8022

Porcelain, glossy
polar white similar to RAL 9010
black similar to RAL 8022

Stamp
area

Stamp
area

Serie Glas



Material, colours and dimensions

Dimensions

1-gang frame

Dia. 80 mm, 1-gang

2-gang to 5-gang frame

W 151 x H 80 mm, 2-gang

W 222 x H 80 mm, 3-gang

W 293 x H 80 mm, 4-gang

W 364 x H 80 mm, 5-gang



Frames

Glass, clear

Glass, polar white

Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 8022

Polar white
Glass, clear

Stamp
area

Stamp
area

Serie Glas



Material, colours and dimensions

Dimensions

1-gang frame

Dia. 80 mm, 1-gang

2-gang to 5-gang frame

W 151 x H 80 mm, 2-gang

W 222 x H 80 mm, 3-gang

W 293 x H 80 mm, 4-gang

W 364 x H 80 mm, 5-gang



Frames

Glass, clear

Glass, polar white

Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 8022

Black
Glass, clear

Stamp
area

Stamp
area

Serie Glas



Polar white
Glass, clear

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

1-gang frame

Dia. 80 mm, 1-gang

2-gang to 5-gang frame

W 151 x H 80 mm, 2-gang

W 222 x H 80 mm, 3-gang

W 293 x H 80 mm, 4-gang

W 364 x H 80 mm, 5-gang



Frames

Glass, clear

Glass, polar white

Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010
black similar to RAL 8022

Serie Glas



Brass, chrome plated
Glass, clear

Material, colours and dimensions

Dimensions

1-gang frame

Dia. 80 mm, 1-gang

2-gang to 5-gang frame

W 151 x H 80 mm, 2-gang

W 222 x H 80 mm, 3-gang

W 293 x H 80 mm, 4-gang

W 364 x H 80 mm, 5-gang



Frames

Glass, clear

Glass, polar white

Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 8022

Stamp
area

Stamp
area

Serie Glas



Black
Glass, clear

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

1-gang frame

Dia. 80 mm, 1-gang

2-gang to 5-gang frame

W 151 x H 80 mm, 2-gang

W 222 x H 80 mm, 3-gang

W 293 x H 80 mm, 4-gang

W 364 x H 80 mm, 5-gang



Frames

Glass, clear

Glass, polar white


Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 8022

Serie R.classic



Polar white
Plastic, polar white

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Metal, Glass

1-gang frame

Dia. 81.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 152.2 x H 81,2 mm, 2-gang

W 223.2 x H 81,2 mm, 3-gang

Material: Plastic

1-gang frame

Dia. 80.7 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 151.7 x H 80.7 mm, 2-gang

W 222.7 x H 80.7 mm, 3-gang

Frames

Plastic, glossy

polar white similar to RAL 9010
black similar to RAL 9005

Glass

polar white similar to RAL 9010
black similar to RAL 9005

Metal

Aluminium, natural, anodised
Stainless steel, matt



Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010
black similar to RAL 9005

Serie R.classic



Black
Plastic, black

Material, colours and dimensions

Dimensions

Material: Metal, Glass

1-gang frame

Dia. 81.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 152.2 x H 81,2 mm, 2-gang

W 223.2 x H 81,2 mm, 3-gang

Material: Plastic

1-gang frame

Dia. 80.7 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 151.7 x H 80.7 mm, 2-gang

W 222.7 x H 80.7 mm, 3-gang

Frames

Plastic, glossy

polar white similar to RAL 9010
black similar to RAL 9005

Glass

polar white similar to RAL 9010
black similar to RAL 9005

Metal

Aluminium, natural, anodised
Stainless steel, matt



Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010
black similar to RAL 9005

Stamp
area

Stamp
area

Serie R.classic



Polar white
Glass, polar white

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Metal, Glass

1-gang frame

Dia. 81.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 152.2 x H 81,2 mm, 2-gang

W 223.2 x H 81,2 mm, 3-gang

Material: Plastic

1-gang frame

Dia. 80.7 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 151.7 x H 80.7 mm, 2-gang

W 222.7 x H 80.7 mm, 3-gang

Frames

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 9005

Glass

polar white similar to RAL 9010

black similar to RAL 9005

Metal

Aluminium, natural, anodised

Stainless steel, matt




Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 9005

Serie R.classic



Black
Glass, black

Material, colours and dimensions

Dimensions

Material: Metal, Glass

1-gang frame

Dia. 81.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 152.2 x H 81,2 mm, 2-gang

W 223.2 x H 81,2 mm, 3-gang

Material: Plastic

1-gang frame

Dia. 80.7 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 151.7 x H 80.7 mm, 2-gang

W 222.7 x H 80.7 mm, 3-gang



Frames

Plastic, glossy

polar white similar to RAL 9010
black similar to RAL 9005

Glass

polar white similar to RAL 9010
black similar to RAL 9005

Metal

Aluminium, natural, anodised
Stainless steel, matt

Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010
black similar to RAL 9005

Stamp
area

Stamp
area

Serie R.classic



Black
Aluminium, natural, anodised

Material, colours and dimensions

Dimensions

Material: Metal, Glass

1-gang frame

Dia. 81.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 152.2 x H 81,2 mm, 2-gang

W 223.2 x H 81,2 mm, 3-gang

Material: Plastic

1-gang frame

Dia. 80.7 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 151.7 x H 80.7 mm, 2-gang

W 222.7 x H 80.7 mm, 3-gang

Frames

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 9005

Glass

polar white similar to RAL 9010

black similar to RAL 9005

Metal

Aluminium, natural, anodised

Stainless steel, matt



Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 9005

Stamp
area

Stamp
area

Serie R.classic



Polar white
Stainless steel, matt

Stamp
area

Stamp
area

Material, colours and dimensions

Dimensions

Material: Metal, Glass

1-gang frame

Dia. 81.2 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 152.2 x H 81,2 mm, 2-gang

W 223.2 x H 81,2 mm, 3-gang

Material: Plastic

1-gang frame

Dia. 80.7 mm, 1-gang

2-gang to 3-gang frame, for vertical and horizontal mounting

W 151.7 x H 80.7 mm, 2-gang

W 222.7 x H 80.7 mm, 3-gang

Frames

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 9005

Glass

polar white similar to RAL 9010

black similar to RAL 9005

Metal

Aluminium, natural, anodised

Stainless steel, matt



Covers/ central inserts

Plastic, glossy

polar white similar to RAL 9010

black similar to RAL 9005



ООО БЕРКЕР РУС

105120 МОСКВА

ARTPLAY

УЛ. НИЖНЯЯ СЫРОМЯТНИЧЕСКАЯ

Д. 10, СТР. 8, ОФИС 301

+7 (495) 669-05-39

info@berker.ru

berker.ru

Berker GmbH & Co. KG

Klagebach 38

58579 Schalksmühle/Germany

Telefon +49 (0) 23 55 / 9 05-0

Telefax +49 (0) 23 55 / 9 05-105

export@berker.de

berker.com